

#### I. Product and Company Identification

1.1 Identification of the substance or preparation:

# OCS PERSNICKETY DI-OX 2000 SPRAY COUNTERVAILANT CONCENTRATE

1.2 Company Identification: Odour Control Systems Limited

33A Castle Close,

Hawarden Industrial Park

Manor Lane, Hawarden, Deeside. CH5 3PP.

Tel: 01244 536700 Fax: 01244 535184

#### II. Composition/Information on Ingredients

2.1 Chemical Composition:

Odour Countervailant materials: non hazardous

Stabilised Solution of Chlorine Dioxide: non toxic, non hazardous

Non Ionic Surfactant:

Anionic Surfactant:

Inon hazardous

non hazardous

non hazardous

non hazardous

Water

#### III. Hazards Identification

3.1 Eyes: Modified Draize Test on Albino Rabbits: Mild ocular irritant.

3.2 Skin Contact: Modified Draize Test on Albino Rabbits:

No dermal irritation on prolonged contact.

3.3 Ingestion: Acute Oral Toxicity in Albino Rats; LD 62.5 grams/kg; category III

3.4 Inhalation: Albino Rats exposed to a respirable aerosol made from a solution of

stabilised material at levels of up to 2.8mg/1 for one hour resulted in no

deaths or gross pathology.

## MATERIAL SAFETY DATA SHEET

Acute, Subacute and Chronic (Organs & Systems) effects: Acute subacute and chronic toxicity test in mice by oral feeding were performed with very much stronger stabilised chlorine dioxide solutions than Diox 2000 solution.

Conclusions: a) Non-toxic when fed by stomach trocar.

(b) Chronic feeding tests by gavage and in drinking water was non-toxic.

Carcinogenicity: This mixture does not contain a component which islisted by the IARC or

NTP as a potential carcinogen under OSHA Standard 29 CFR 1910.1200.

#### V. First Aid Measures

4.1 Eye contact: Irrigate with water for at least 15 minutes. Call doctor if irritation persists.

4.2 Skin contact: Wash off in flowing water or shower.

4.3 Inhalation: Remove to fresh air. If breathing is difficult, give oxygen. Call a doctor.

4.4 Ingestion: Give large amounts of water and contact a doctor.

#### V. Fire Fighting Measures

5.1 Flash Point None.

5.2 Flammable Limited: Solution will not burn in the presence of oxidisable materials.

5.3 Extinguishing media: Water or Fog.

#### VI. Accidental Release Measures

6.1 Methods of Cleaning Up: Flush with water to dilute and wash down to foul drain.

#### VII. Handling and Storage

7.1 Precautions During Storage:

Storage Conditions: Storage in a cool area.

Avoid temperatures above 145°F and freezing conditions.

Store away from any oxidising agent, reducing agent or any acid.

#### VIII. Exposure Controls/Personal Protection

8.1 Skin Protection: Clean body covering protection plus rubber or neoprene work gloves.

8.2 Eye Protection: Goggles are recommended.

## MATERIAL SAFETY DATA SHEET

#### IX. Physical and Chemical Properties

9.1 Appearance: Clear solution

9.2 Odour: Typical

9.3 Boiling Point: 214°F

9.4 Vapour Pressure: Similar to water

9.5 Solubility in water: Completely soluble in all proportions

9.6 Specific Gravity: 1.00

#### X. Stability and Reactivity

10.1 Stability: Persnickety DIOX 2000 is a stabilised solution of Chlorine Dioxide and is

safe for use as intended. Contamination with other materials such as acids, chlorine, organis chemicals etc., may cause a chemical reaction, resulting in

evolution of Chlorine Dioxide gases and heat.

Explosion and/or fire could result. Chlorine Dioxide gas is toxic. Keep all chemical and foreign materials away from this solution.

Avoid temperatures above 415 F, ultraviolet light, evaporation to dryness.

10.1 Incompatibility: The stabilised Chlorine Dioxide solution in DIOX 2000 concentrate is an

oxidising agent and should be kept away from acids, organic materials, reducing agents, oxidising agents and chlorine donors. Contact with any of

the above materials, reducing agents, oxidising angents and chlorine donors may release free Chlorine Dioxide gas wich is very toxic.

Do not allow DIOX 2000 concentrate to dry on clothes due to danger of

fire dur to oxidisation.

Hazardous Decomposition Products: Chlorine Dioxide - C102 gas

#### XI. Activation

10.1 Activation: If to be used in cinjunction with DIOX Activator 'A' powder consult relevant

M.S.D.S. use only according to proper instructions.

If in doubt consult the Company for advice.

### MATERIAL SAFETY DATA SHEET

This information is given in good faith and is based on information and tests believed to be reliable. The suitability of this product for any particular use is not suggested or implied. This document is not a specification and properties shown are not guaranteed.

Information on this form is furnished in compliance with current legislation. It is the responsibility of the recipient to pass on this information to relevant departments/persons involved. Odour Control Systems Limited assumes no responsibility for injury of death and/or third persons, however caused. The user bailee and their respective employees and agents assume all such risks if reasonable safety procedures are not adhered to.

In addition, Odour Control Systems Limited assumes no responsibility for injury or death to the recipient of this material or third persons, or for any loss or damage to property, or for any consequential damage resulting from any abnormal use or theft of the material, and the user, owner, bailee and their respective employees and agents assume all such risks even when caused by negligence, omission, default or error in judgement of Odour Control Systems Limited or its agents.

Each recipient should carefully review this information, data and recommendations in this specific context of its intended use. This product should only be used according to the specific guidelines for use laid out in Odour Control Systems Limited publications. Use of these products is deemed to be acceptance of the above.

Always READ material safety data sheet before use.

## preserving the environment

Odor Control Systems Ltd 33a Castle Close, Manor Lane Hawarden Industrial Park Hawarden, Flintshire CH5 3QX

Phone: +44 (0)1244 536700 Fax: +44 (0)1244 535184 E-mail: mail@odourcontrolsystems.ltd.uk Web: www.odourcontrolsystems.ltd.uk



