



I. Product and Company Identification

1.1 Identification of the substance or preparation:

PERSNICKETY GREEN TOILET TABLETS

1.2 Company Identification: Odour Control Systems Limited
33A Castle Close,
Hawarden Industrial Park
Manor Lane,
Hawarden,
Deeside.
CH5 3PP.
Tel: 01244 536700 Fax: 01244 535184

II. Composition/Information on Ingredients

2.1 Chemical Composition:
Preparation Stabilised buffered chlorine dioxide.
Inert ingredients Dye

2.2 Risk Phrases: R8 Contact with combustible materials may cause fire.
R22 Harmful if swallowed.
R32 Contact with acids liberates very toxic gas.

2.3 Classification/Symbol: O Oxidising
XN Irritant

III. Hazards Identification

3.1 Adverse health effects Mildly irritating to eyes.
Irritating to skin.
Harmful if swallowed

3.2 Environmental effects Toxic to aquatic organisms.

3.3 Physical and chemical Hazards In contact with acids or when heated or under sunlight, may develop very toxic gas (chlorine dioxide) which may cause risk of explosion.
Contact with combustible materials (grease, fats, wood, cellulose, paper, etc.) may cause fire.
Contact with reducing agents and sulphur containing substances causes violent exothermic reaction.

MATERIAL SAFETY DATA SHEET

IV. First Aid Measures

- | | | |
|-----|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 4.1 | Eye contact: | Immediately flush eyes with water for at least 15 minutes.
Seek medical advice if symptoms persist. |
| 4.2 | Skin contact: | Remove contaminated clothing and wash affected areas with soap & water.
Soak contaminated clothing with water to prevent fire risk.
Seek medical attention if irritation develops and persists. |
| 4.3 | Inhalation: | Remove to fresh air. Seek medical attention. (If the patient is affected by activated fumes of chlorine dioxide seek medical attention) |
| 4.4 | Ingestion: | Rinse mouth with water and give give water or milk to drink.
Seek medical attention if symptoms persist. |

V. Fire Fighting Measures

- | | | |
|-----|----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 5.1 | Special Fire/explosion Hazard: | May decompose in fire producing toxic chlorine compounds.
Strong oxidising agent - will assist combustion.
Risk of drums bursting. |
| 5.2 | Products of combustion | Not combustible. Toxic chlorine compounds released in fire. |
| 5.3 | Fire fighting Procedures/extinguishing | Wear S.C.B.A. for chlorine/chlorine dioxide.
Keep containers cool with water spray.
Avoid dispersion in the water courses.
Do not use carbon dioxide or organic material.
In case of spreading, avoid drying by dilution with plenty of water. |

VI. Accidental Release Measures

- | | | |
|-----|---------------------------|----------------------------------------------------------------------------|
| 6.1 | Personal protection | Wear goggles and plastic gloves
Eyewash facilities should be available. |
| 6.2 | Environmental precautions | Sweep up immediately. If possible drench with water. Flush to sewer. |
| 6.3 | Methods of cleaning up: | Flush away any residues with excess water |

VII. Handling and Storage

- | | | |
|-----|------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 7.1 | Precautions during handling:
Safe handling advice | Handle product with care and avoid contamination |
| 7.2 | Precautions during storage:
Storage conditions | Store in a cool, clean, well ventilated area.
Do not store on wooden surfaces.
Keep away from incompatible (especially acids) and combustible materials, from direct sunlight and heating sources. |

MATERIAL SAFETY DATA SHEET

VIII. Exposure Controls/Personal Protection

8.1 Special protective measures

Respiratory:	Ensure working room air concentrations are less than 0.1 ppm chlorine dioxide gas S.C.B.A. when chlorine dioxide gas is evolved.
Hand:	Plastic gloves.
Eyes:	Goggles.
Skin:	Work suit preferably made of PVC, neoprene, nitrile rubber. Avoid leather, cotton or natural rubber due to fire risk.

8.2 Exposure limits

For chlorine dioxide gas:-
0.1 ppm (0.3 mg/cu.m).
0.2 ppm (0.9 mg/cu.m). STEL.

IX. Physical and Chemical Properties

9.1 Physical state: Green solid tablets

This information is given in good faith and is based on information and tests believed to be reliable. The suitability of this product for any particular use is not suggested or implied. This document is not a specification and properties shown are not guaranteed.

Information on this form is furnished in compliance with current legislation. It is the responsibility of the recipient to pass on this information to relevant departments/persons involved. Odour Control Systems Limited assumes no responsibility for injury of death and/or third persons, however caused. The user bailee and their respective employees and agents assume all such risks if reasonable safety procedures are not adhered to.

In addition, Odour Control Systems Limited assumes no responsibility for injury or death to the recipient of this material or third persons, or for any loss or damage to property, or for any consequential damage resulting from any abnormal use or theft of the material, and the user, owner, bailee and their respective employees and agents assume all such risks even when caused by negligence, omission, default or error in judgement of Odour Control Systems Limited or its agents.

Each recipient should carefully review this information, data and recommendations in this specific context of its intended use. This product should only be used according to the specific guidelines for use laid out in Odour Control Systems Limited publications. Use of these products is deemed to be acceptance of the above.

Always READ material safety data sheet before use.

preserving the environment

Odor Control Systems Ltd
33a Castle Close, Manor Lane
Hawarden Industrial Park
Hawarden, Flintshire CH5 3QX

Phone: +44 (0)1244 536700
Fax: +44 (0)1244 535184
E-mail: mail@odourcontrolsystems.ltd.uk
Web: www.odourcontrolsystems.ltd.uk



Certificate No. 7174

